GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR&RD Department - Allegations of irregularities in execution of Road works under NREGS in Srikakulam and Vizianagaram Districts – Disciplinary proceedings against Sri R.Ramam, former Dy. EE, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of Charges – Orders - Issued.

- -

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 465 **Dated: 12-05-2016**
Read the following:

1. From ENC, PR, A.P., Hyd., Lr.No.Vig.I(1)/1001/2015, Dt.04.08.2015.

***

ORDER:

It is proposed to hold an inquiry against Sri R.Ramam, former Deputy Executive Engineer, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I and II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri R.Ramam, former Deputy Executive Engineer, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District is directed to submit a Written statement of his defence within 10 days of the receipt of this order.

4. Sri R.Ramam, former Deputy Executive Engineer, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri R.Ramam, former Deputy Executive Engineer, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex parte.

(

6. Attention of Sri R.Ramam, former Deputy Executive Engineer, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District is invited to Rule 24 of the Andhra Pradesh Civil Services(Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matter pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri R.Ramam, former Deputy Executive Engineer, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of Andhra Pradesh Civil Services (Conduct) Rules, 1964.

Contd……)

7. The receipt of the order be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To
Sri R.Ramam, former Deputy Executive Engineer, PRI, Pathapatnam, now working at PRI Narasannapeta, Srikakulam District **through** Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Hyderabad.
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Hyderabad. (with a request to serve the charges to the individual and furnish a served copy to Government)
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE –I

Statement showing the Article of Charges framed against Sri R.Ramam, former Dy. Executive Engineer, PRI, Pathapatnam, now working at PRI Narsannapeta, Srikakulam District

-::O::-

ARTICLE OF CHARGE:

That Sri R.Ramam, Deputy Executive Engineer, PRI Sub-division, Narasannapeta, Srikakulam District during his tenure as Dy. Executive Engineer in PRI, Pathapatnam, Srikakulam District, executed construction of CC pavement with drain and retaining wall from Harijanaveedhi to Mahendra Tanaya at Pathapatnam, under MGNREGS during 2012-13 and committed certain irregularities like (i) deficiency in height and width of retaining wall, (ii) deficit quantity in thickness of bed concrete etc. He is responsible for misappropriation of Government funds to a tune of amount of Rs.1,23,074/-.

By his above mentioned act, Sri R.Ramam, Deputy Executive Engineer, PRI Sub-division, Narasannapeta, Srikakulam District failed to discharge his duties, lack of integrity, devotion to duty and conduct unbecoming of a Government Servant & thereby contravened Rules, 3(1) and 3(2) of Andhra Pradesh Civil Services (Conduct) Rules, 1964.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE-II

Statement of imputations of misconduct in support of Article of Charges framed against Sri R.Ramam, former Dy. Executive Engineer, PRI, Pathapatnam, now working at PRI Narsannapeta, Srikakulam District

Engineer in Chief, Panchayat Raj, Andhra Pradesh, Hyderabad, has submitted the inspection reports received from CE, PR, V&QC, regarding execution of the road works under NREGS in Srikakulam and Vizianagaram Districts.

Work No.2: Construction of CC pavement with drain and retaining wall from Harijana veedhi to Mahendra Tanaya at Pathapatnam

The work was inspected by Sri M.Ratna Kumar, DEE, V&QC, Palakonda and Sri VS Gupta, AE, V&QC, Palakonda and observed:-

i. Deficiency in height and width of retaining wall.
ii. Deficit quantity in thickness of bed concrete.
iii. Proposed to recover an amount of Rs.1,23,074/-.

By his above mentioned act, Sri R.Ramam, Deputy Executive Engineer, PRI Sub-division, Narasannapeta, Srikakulam District failed to discharge his duties, lack of integrity, devotion to duty and conduct unbecoming of a Government Servant & thereby contravened Rules, 3(1) and 3(2) of APCS (Conduct) Rules, 1964.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE – III

List of documents by which the articles of charges framed against Sri R.Ramam, former Dy. Executive Engineer, PRI, Pathapatnam, now working at PRI Narsannapeta, Srikakulam District are proposed to be sustained.

Lr.No. QC1/MGNREGS/VSP/2015, dated: 18.03.2015 of Chief Engineer, PR, Hyderabad.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE – IV

List of witnesses by whom the articles of charges framed against Sri R.Ramam, former Dy. Executive Engineer, PRI, Pathapatnam, now working at PRI Narsannapeta, Srikakulam District are proposed to be sustained.

---Nil---

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER